

Consum estimat per dos anys

Annex I

| GAS | IMPURESES MÀXIMES | ENVÀS | TOTAL M ³ | PREU UNITARI MAXIM m3 | TOTAL PREU | PREU UNITARI OFERTAT m3 | TOTAL PREU OFERTAT |
|--|--|--------------------------------------|----------------------|-----------------------|--------------|-------------------------|--------------------|
| ARGÓ 99,999% | H2O≤ 3 ppm; O2≤ 2 ppm; CnHm≤ 0,5 ppm;CO2≤ 1 ppm; CO≤1 ppm | ampolla L50 (10,5m ³) | 525,00 | 8,50 € | 4.462,50 € | | 0 |
| ARGÓ 99,999% | H2O≤ 3 ppm; O2≤ 2 ppm; CnHm≤ 0,5 ppm;CO2≤ 1 ppm; CO≤1 ppm | RANGER (130m ³) | 9880,00 | 6,51 € | 64.318,80 € | | 0 |
| HELI 99,999% | H2O≤ 2 ppm; O2≤ 2 ppm; CnHm≤ 0,5 ppm;CO2≤ 0,5 ppm; CO≤0,5 ppm | ampolla std B50 (9,1m ³) | 582,40 | 47,25 € | 27.518,40 € | | 0 |
| NITROGEN 99,999% | H2O≤ 3 ppm; O2≤ 2 ppm; CnHm≤ 0,5 ppm;CO2≤ 1 ppm; CO≤1 ppm | ampolla L50 (9,4m ³) | 940,00 | 4,83 € | 4.540,20 € | | 0 |
| NITROGEN 99,999% | H2O≤ 3 ppm; O2≤ 2 ppm; CnHm≤ 0,5 ppm;CO2≤ 1 ppm; CO≤1 ppm | RANGER (107,4m ³) | 11384,40 | 2,10 € | 23.907,24 € | | 0 |
| NITROGEN 99,999% | H2O≤ 3 ppm; O2≤ 2 ppm; CnHm≤ 0,5 ppm;CO2≤ 1 ppm; CO≤1 ppm | ampolla 10/200 (2 m ³) | 26,00 | 39,90 € | 1.037,40 € | | 0 |
| AIRE N2+O2 ≥ 99,999% O2 20%+ 1% abs/Balance N2 | H2O≤ 2 ppm; O2= 20% ± 1%; CnHm≤ 0,5 ppm; CO≤ 1 ppm; CO2≤ 1 ppm | ampolla std B50 (9,9m ³) | 237,60 | 7,56 € | 1.796,26 € | | 0 |
| HIDROGEN 99,999% | H2O≤ 2 ppm; CnHm≤ 0,1 ppm;CO2≤ 0,5 ppm; CO≤0,5 ppm | ampolla L50 (8,8m ³) | 35,20 | 9,34 € | 328,77 € | | 0 |
| Subtotal | | | | | 127.909,56 € | | 0,00 € |
| IVA 21% | | | | | 26.861,00 € | | 0,00 € |
| Total subministrament de gasos | | | | | 154.770,56 € | | 0,00 € |

Gestió dels estocs de gasos per sistema de televigilància,quota mensual

| | | |
|-----------------------------------|-------------|---|
| Subtotal | 2.500,00 € | |
| IVA 21% | 525,00 € | 0 |
| Quota Mensual | 3.025,00 € | 0 |
| Total Concurs gestió d'estocs 2 a | 72.600,00 € | 0 |

| | | |
|--------------|---------------------|--------|
| TOTAL | 227.370,56 € | 0,00 € |
|--------------|---------------------|--------|